



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/656,001	09/05/2003	Ravi Narasimhan	MP0256 7519	
26200	7590 02/08/2006		EXAM	INER
FISH & RICHARDSON P.C.		PHAN, HUY Q		
P.O BOX 1022 MINNEAPOLIS, MN 55440-1022			ART UNIT	PAPER NUMBER
			2687	

DATE MAILED: 02/08/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)				
	10/656,001	NARASIMHAN, RAVI				
Office Action Summary	Examiner	Art Unit				
	Huy Q. Phan	2687				
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply						
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DA - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period value or reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be tim will apply and will expire SIX (6) MONTHS from , cause the application to become ABANDONE	lely filed the mailing date of this communication. O (35 U.S.C. § 133).				
Status						
 Responsive to communication(s) filed on 13 Dec. This action is FINAL. Since this application is in condition for allower closed in accordance with the practice under Entertain in the practice of the condition in the condition	action is non-final. nce except for formal matters, pro					
Disposition of Claims						
4)	wn from consideration. 6 and 48-59 is/are rejected.	application.				
Application Papers						
9) The specification is objected to by the Examine 10) The drawing(s) filed on is/are: a) accomplished any accomplished any objection to the Replacement drawing sheet(s) including the correct accordance to the correct of the contract of the contrac	epted or b) objected to by the Idrawing(s) be held in abeyance. See tion is required if the drawing(s) is obj	e 37 CFR 1.85(a). sected to. See 37 CFR 1.121(d).				
Priority under 35 U.S.C. § 119						
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 						
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date	4) Interview Summary Paper No(s)/Mail Da 5) Notice of Informal P 6) Other:					

Art Unit: 2687

DETAILED ACTION

Response to Amendment

This Office Action is in response to Amendment filed on date: 12/13/2005.
 Claims 2, 4-11, 13, 15-22, 24, 26-33, 35, 37-44, 46 and 48-59 are still pending.
 Claims 1, 3, 12, 14, 23, 25, 34, 36, 45 and 47 are cancelled.
 Claims 56-59 are newly added.

Response to Arguments

2. Applicant's arguments with respect to claims 2, 4-11, 13, 15-22, 24, 26-33, 35, 37-44, 46 and 48-59 have been considered but are moot in view of the new ground(s) of rejection.

Claim Rejections - 35 USC § 112

3. The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

Claims 9, 11, 20, 22, 31, 33, 42, 44, 53 and 55 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

All expressions and variables in the equations must be defined.

Claim 56 recites the limitation "The method" in the first line. There is insufficient antecedent basis for this limitation in the claim.

Application/Control Number: 10/656,001 Page 3

Art Unit: 2687

Claim 57 recites the limitation "The method" in the first line. There is insufficient antecedent basis for this limitation in the claim.

Claim 58 recites the limitation "The method" in the first line. There is insufficient antecedent basis for this limitation in the claim.

Claim 59 recites the limitation "The method" in the first line. There is insufficient antecedent basis for this limitation in the claim.

Claim Objections

4. Claims 35 and 56 are objected to because of the following informalities: Claims 35 and 56 are duplicated.

Appropriate correction is required.

Claim Rejections - 35 USC § 103

5. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Art Unit: 2687

Claims 2, 4-10, 13, 15-19, 21, 24, 26-30, 32, 35, 37-41, 43, 46, 48-52, 54 and 57 are rejected under 35 U.S.C. 103(a) as being unpatentable over Malaender (US-2003/0223391) in view of Kadous (US-6,801,580).

Regarding claims 4, Malaender teaches a method comprising: selecting a subset of active antennas from a plurality of available antennas in an multielement antenna system based on higher-order statistics of a propagation medium ([0043]-[0051]; described as "channel coefficient matrix"). But, Malaender fails to expressly teach selecting a constellation for transmission on the active antennas where said selecting the constellation for transmission on the active antennas comprises selecting different constellations two or more of the active antennas. However, Kadous teaches a similar method of "patial receiver processing techniques include a channel correlation matrix inversion (CCMI) technique (which is also referred to as a zero-forcing technique) and a minimum mean square error (MMSE) technique" (see col. 20, lines 29-37); thus, making it analogous art since it is in the same field of endeavor. Kadous further teaches selecting a constellation for transmission on the active antennas (col. 17, lines 40-59; for more details see fig. 5, cols. 16-18) where said selecting the constellation for transmission on the active antennas comprises selecting different constellations two or more of the active antennas (col. 14, lines 6-10, for more details see fig. 4 and cols. 14-16). Therefore, it would have been obvious to one of ordinary skill in the art at the time the applicant's invention as taught by Kadous in the method of Malaender in order to "process a number of received symbol streams in a MIMO system

Art Unit: 2687

with multipath channels such that improved performance may be achieved when using successive interference cancellation (SIC) receiver processing" (see SUMMARY).

Regarding claims 7, Malaender teaches a method comprising:

selecting a subset of active antennas from a plurality of available antennas in an multi-element antenna system based on higher-order statistics of a propagation medium ([0043]-[0051]; described as "channel coefficient matrix"). But, Malaender fails to expressly teach where said selecting comprises selecting an optimum number of antennas to maximize a minimum signal-to-noise (SNR) margin. Kadous further teaches where said selecting comprises selecting an optimum number of antennas to maximize a minimum signal-to-noise (SNR) margin (col. 16, lines 15-33; for more details see cols. 11-16). Therefore, it would have been obvious to one of ordinary skill in the art at the time the applicant's invention as taught by Kadous in the method of Malaender in order to "process a number of received symbol streams in a MIMO system with multipath channels such that improved performance may be achieved when using successive interference cancellation (SIC) receiver processing" (see SUMMARY).

Regarding claims 15, Malaender teaches an apparatus (fig. 1B) comprising:
a processor (fig. 1B, 140) operative to select a subset of active antennas from a
plurality of available antennas in an multi-element antenna system based on higherorder statistics of a propagation medium ([0043]-[0051]; described as "channel
coefficient matrix"). But, Malaender fails to expressly teach wherein the processor is

Art Unit: 2687

operative to select a constellation for transmission on the active antennas and select different constellations two or more of the active antennas. Kadous further teaches wherein the processor (col. 21, lines 3-11) is operative to select a constellation for transmission on the active antennas (col. 17, lines 40-59; for more details see fig. 5, cols. 16-18) and select different constellations two or more of the active antennas. (col. 14, lines 6-10, for more details see fig. 4 and cols. 14-16). Therefore, it would have been obvious to one of ordinary skill in the art at the time the applicant's invention as taught by Kadous in the method of Malaender in order to "process a number of received symbol streams in a MIMO system with multipath channels such that improved performance may be achieved when using successive interference cancellation (SIC) receiver processing" (see SUMMARY).

Regarding claims 18, Malaender teaches an apparatus (fig. 1B) comprising: a processor (fig. 1B, 140) operative to select a subset of active antennas from a plurality of available antennas in an multi-element antenna system based on higher-order statistics of a propagation medium ([0043]-[0051]; described as "channel coefficient matrix"). But, Malaender fails to expressly teach where the processor is operative to select a constellation for transmission on the active antennas and select an optimum number of antennas to maximize a minimum signal-to-noise (SNR) margin. Kadous further teaches where the processor (col. 21, lines 3-11) is operative to select a constellation for transmission on the active antennas and select an optimum number of antennas to maximize a minimum signal-to-noise (SNR) margin (col. 16, lines 15-33; for

Art Unit: 2687

٤,

more details see cols. 11-16). Therefore, it would have been obvious to one of ordinary skill in the art at the time the applicant's invention as taught by Kadous in the method of Malaender in order to "process a number of received symbol streams in a MIMO system with multipath channels such that improved performance may be achieved when using successive interference cancellation (SIC) receiver processing" (see SUMMARY).

Regarding claims 26, Malaender teaches an apparatus (fig. 1B) comprising: a processor (fig. 1B, 140) including means for selecting a subset of active antennas from a plurality of available antennas in an multi-element antenna system based on higher-order statistics of a propagation medium. But, Malaender fails to expressly teach means for selecting a constellation for transmission on the active antennas including means for selecting different constellations two or more of the active antennas. Kadous further teaches means for selecting a constellation for transmission on the active antennas (col. 17, lines 40-59; for more details see fig. 5, cols. 16-18) including means for selecting different constellations two or more of the active antennas (col. 14, lines 6-10, for more details see fig. 4 and cols. 14-16). Therefore, it would have been obvious to one of ordinary skill in the art at the time the applicant's invention as taught by Kadous in the method of Malaender in order to "process a number of received symbol streams in a MIMO system with multipath channels such that improved performance may be achieved when using successive interference cancellation (SIC) receiver processing" (see SUMMARY).

Art Unit: 2687

Regarding claims 29, Malaender teaches an apparatus (fig. 1B) comprising:

a processor (fig. 1B, 140) including means for selecting a subset of active antennas from a plurality of available antennas in an multi-element antenna system based on higher-order statistics of a propagation medium. But, Malaender fails to expressly teach where said selecting comprises selecting an optimum number of antennas to maximize a minimum signal-to-noise (SNR) margin. Kadous further teaches where said selecting comprises selecting an optimum number of antennas to maximize a minimum signal-to-noise (SNR) margin (col. 16, lines 15-33; for more details see cols. 11-16). Therefore, it would have been obvious to one of ordinary skill in the art at the time the applicant's invention as taught by Kadous in the method of Malaender in order to "process a number of received symbol streams in a MIMO system with multipath channels such that improved performance may be achieved when using successive interference cancellation (SIC) receiver processing" (see SUMMARY).

Regarding claims 37, Malaender teaches a system (fig. 1) comprising:

- a propagation medium (fig. 1A, 130);
- a first transceiver including a plurality of available antennas (fig. 1A; antennas 111a-m);
- a second transceiver including a plurality of available antennas (fig. 1A; antennas 121a-n);
- a processor (fig. 1B, 140) operative to determine higher-order statistics of a propagation medium from signals received from the plurality of available antennas at

Art Unit: 2687

the first transceiver ([0046]-[0047]); and antennas selection module operative to select a subset of active antennas from a plurality of available antennas in an multi-element antenna system based on higher-order statistics of a propagation medium ([0046]-[0047]).But, Malaender fails to expressly teach where the processor is operative to select a constellation for transmission on the active antennas and select different constellations two or more of the active antennas. Kadous further teaches where the processor (col. 21, lines 3-12) is operative to select a constellation for transmission on the active antennas (col. 17, lines 40-59; for more details see fig. 5, cols. 16-18) and select different constellations two or more of the active antennas (col. 14, lines 6-10, for more details see fig. 4 and cols. 14-16). Therefore, it would have been obvious to one of ordinary skill in the art at the time the applicant's invention as taught by Kadous in the method of Malaender in order to "process a number of received symbol streams in a MIMO system with multipath channels such that improved performance may be achieved when using successive interference cancellation (SIC) receiver processing" (see SUMMARY).

Regarding claims 40, Malaender teaches a system (fig. 1) comprising: a propagation medium (fig. 1A, 130);

a first transceiver including a plurality of available antennas (fig. 1A; antennas 111a-m);

a second transceiver including a plurality of available antennas (fig. 1A; antennas 121a-n);

Art Unit: 2687

a processor (fig. 1B, 140) operative to determine higher-order statistics of a propagation medium from signals received from the plurality of available antennas at the first transceiver ([0046]-[0047]); and

antennas selection module operative to select a subset of active antennas from a plurality of available antennas in an multi-element antenna system based on higher-order statistics of a propagation medium ([0046]-[0047]). But, Malaender fails to expressly teach where the processor is operative to select an optimum number of antennas to maximize a minimum signal-to-noise (SNR) margin. Kadous further teaches where the processor (col. 21, lines 3-12) is operative to select an optimum number of antennas to maximize a minimum signal-to-noise (SNR) margin (col. 16, lines 15-33; for more details see cols. 11-16). Therefore, it would have been obvious to one of ordinary skill in the art at the time the applicant's invention as taught by Kadous in the method of Malaender in order to "process a number of received symbol streams in a MIMO system with multipath channels such that improved performance may be achieved when using successive interference cancellation (SIC) receiver processing" (see SUMMARY).

Regarding claims 48, Malaender teaches a computer program [0054] comprising the steps of:

selecting a subset of active antennas from a plurality of available antennas in an multi-element antenna system based on higher-order statistics of a propagation medium ([0043]-[0051]; described as "channel coefficient matrix"). But, Malaender fails to expressly teach selecting a constellation for transmission on the active antennas where

Art Unit: 2687

said selecting the constellation for transmission on the active antennas comprises selecting different constellations two or more of the active antennas. Kadous further teaches selecting a constellation for transmission on the active antennas where said selecting the constellation for transmission on the active antennas (col. 17, lines 40-59; for more details see fig. 5, cols. 16-18) comprises selecting different constellations two or more of the active antennas (col. 14, lines 6-10, for more details see fig. 4 and cols. 14-16). Therefore, it would have been obvious to one of ordinary skill in the art at the time the applicant's invention as taught by Kadous in the method of Malaender in order to "process a number of received symbol streams in a MIMO system with multipath channels such that improved performance may be achieved when using successive interference cancellation (SIC) receiver processing" (see SUMMARY).

Regarding claims 51, Malaender teaches a computer program [0054] comprising the steps of:

selecting a subset of active antennas from a plurality of available antennas in an multi-element antenna system based on higher-order statistics of a propagation medium ([0043]-[0051]; described as "channel coefficient matrix"). But, Malaender fails to expressly teach where said selecting comprises selecting an optimum number of antennas to maximize a minimum signal-to-noise (SNR) margi. Kadous further teaches where said selecting comprises selecting an optimum number of antennas to maximize a minimum signal-to-noise (SNR) margin (col. 16, lines 15-33; for more details see cols. 11-16). Therefore, it would have been obvious to one of ordinary skill in the art at the

Art Unit: 2687

time the applicant's invention as taught by Kadous in the method of Malaender in order to "process a number of received symbol streams in a MIMO system with multipath channels such that improved performance may be achieved when using successive interference cancellation (SIC) receiver processing" (see SUMMARY).

Regarding claim 2, 13, 24, 35, 57 and 46, Malaender and Kadous disclose all the limitations of claims 4, 15, 26, 37, 40 and 48 respectively. Malaender further teaches wherein the higher-order statistics comprise second-order statistics of the propagation medium ([0046]-[0047]).

Regarding claim 5, 16, 27, 38 and 49, Malaender and Kadous disclose all the limitations of claims 4, 15, 26, 37 and 48 respectively. Kadous further teaches wherein the multi-element antenna system comprises a multiple-in multiple-out (MIMO) system (see abstract).

Regarding claim 6, 17, 28, 39 and 50, Malaender and Kadous disclose all the limitations of claims 4, 15, 26, 37 and 48 respectively. Malaender further teaches wherein said selecting comprises selecting the subset of active antennas based on correlation matrices among the active antennas ([0046]-[0047]).

Regarding claim 8, 19, 30, 41 and 52, Malaender and Kadous disclose all the limitations of claims 4, 15, 26, 37 and 48 respectively. Malaender further teaches

Art Unit: 2687

wherein said selecting comprises selecting the subset of active antennas based on a fixed data rate [0018].

Regarding claim 10, 21, 32, 43 and 54, Malaender and Kadous disclose all the limitations of claims 4, 15, 26, 37 and 48 respectively. Kadous further teaches allocating substantially equal power to each of said active antennas (col. 15, lines 63-67).

Allowable Subject Matter

6. Claims 9, 11, 20, 22, 31, 33, 42, 44, 53, 55, 58 and 59 would be allowable if rewritten or amended to overcome the rejection(s) under 35 U.S.C. 112, 2nd paragraph, set forth in this Office action.

Conclusion

7. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any

Application/Control Number: 10/656,001 Page 14

Art Unit: 2687

extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

8. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Huy Q Phan whose telephone number is 571-272-7924. The examiner can normally be reached on 8AM-6PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Kincaid G Lester can be reached on 571-272-7922. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

PRIMARY EAR

Examiner: Phan, Huy Q. AU: 2687 Date: 02/02/2006